The Phoenix Dental Laboratory
6505 218th St. SW. #1, Mountlake Terrace, WA 98043
(425) 670-2080 • Fax: (425) 670-2099
Email: pxdentallab@gmail.com
www.pxdentallab.com

Date Sent: _____

Dr.: _____ Date Due: _____ Time: _____

Patient: _____ Age: _____ ☐ Male ☐ Female

Enclosed:
Imp: _____ Soft Tissue: _____
Bite: _____ Model: _____
Analog: _____ Imp Coping: _____

Implant Abutment

Materials Type and Shade:

☐ Titanium ☐ Zirconia
☐ CoCr ☐ Hybrid (2-piece)
☐ Screw Retain ☐ Cement Retain

Shade: (Default A2): _____

Design Instruction:

Margin design: Please specify the subgingival depth



Margin depth(Default Values)	Custom Values
Buccal(1.0mm)	
Lingual(0.5mm)	
Mesial(0.75mm)	
Distal(0.75mm)	
Width(0.5mm) Default	

☐ Shoulder ☐ Chamfer



Rx

Signature: _____ License #: _____



Ceramic Shade Instructions:



Occlusal Staining: ☐ Light ☐ Med ☐ Dark ☐ None

Position	Implant Brand	Implant Type	Screw Type

Implant Bar

Structure Type:

1. ☐ Dolder 2. ☐ Hader
3. ☐ Rectangle W L W _____ L _____ mm
4. ☐ Balloon H W R W _____ H _____ R _____ mm
5. ☐ Round R R _____ mm
6. ☐ Primary milled bar A B L A _____ S _____ L _____

Fixed Hybrid Bar:

1. ☐ Wax Design 2. ☐ Wrap Around
3. ☐ Denture Cutback _____ mm

Design Instruction:

1. ☐ Distal extensions

Patient Left

☐ To 2nd premolar ☐ to 1st molar
☐ Specified _____ mm ☐ to 2nd molar

Patient Right

☐ To 2nd premolar ☐ to 1st molar
☐ Specified _____ mm ☐ to 2nd molar

2. ☐ Space between soft tissue and the bar is ____
☐ Shape: ☐ Follow tissue contour ☐ Straight

3. ☐ Attachments: Locator
☐ Ball H W W _____ H _____ R _____ mm
☐ With Retention

☐ Design bar according to the drawing below

Crown and Coping

☐ Coping/Framework
☐ Crown
☐ Bridge
☐ Inlay/Onlay

Shade: _____
Tooth No: _____

Occlusal Stain: ☐ No ☐ Light ☐ Medium ☐ Duck

Crown:

☐ Porcelain with Zirconia
☐ Temporary Crown
☐ Full Zirconia Crown

Coping:

☐ Zirconia

Occlusal:

☐ In Occlusion
☐ Light Occlusion
☐ Out Occlusion

If insufficient room:

☐ Zirconia Island
☐ Trip opposing
☐ Reduction coping

Pontic Design: